

# MISOCLEAR

Misoprostol (200mcg)

**High quality, effective\*, proven**

For early abortion of pregnancy up to 9 weeks



MARIE STOPES  
INTERNATIONAL




Misoclear is high quality misoprostol.  
It is recommended by doctors for early  
medical abortion.

## How does it work?

It causes uterine contractions and  
emptying of the contents of the uterus.



## How to take Misoclear Pregnancy up to 9 weeks



**1 Place 4 tablets (800mcg) under the tongue** (sublingually) and allow to dissolve for 30 minutes. Swallow the remainder with water

**2 Place 4 tablets (800mcg) under the tongue** (sublingually) and allow to dissolve for 30 minutes. Swallow the remainder with water

**3 Place 4 tablets (800mcg) under the tongue** (sublingually) and allow to dissolve for 30 minutes. Swallow the remainder with water

## Do not take Misoclear



0 weeks → 9 weeks



10 weeks → 40 weeks

if you are more than 9 weeks pregnant



If you have severe or persistent abdominal pain



If you have an IUD in your womb

## What to expect after taking Misoclear and possible side effects



Moderate bleeding



Shivering



Cramping



Vomiting/  
diarrhoea


## Warning signs: if experienced, seek medical help immediately These complications are rare



Heavy bleeding continues



High fever



Excess cramping/  
abdominal pain



Excess vomiting/  
diarrhoea

# MISOCLEAR

## Misoprostol (200mcg)

**High quality, effective\*, proven**

For early abortion of pregnancy up to 9 weeks



MARIE STOPES  
INTERNATIONAL

### Post abortion contraception

- Speak to your doctor about contraceptive choices after an abortion.
- There is a quick return to fertility after most contraceptive methods are stopped (except for injectables and permanent methods).

When to start contraception after abortion	Method	Duration of Contraceptive Protection							Effectiveness
		1 time	1 month	3 months	3 years	5 years	10 years	Permanent	
These contraceptive methods can be started with the first pill of misoprostol	Condoms	→							85%
	Pills	→	→						92%
	Injectables	→	→	→					97%
	Implants	→	→	→	→	→			99.9%
These contraceptive methods can be started once abortion is complete	IUD	→	→	→	→	→	→		99.2%
	Female sterilisation	→	→	→	→	→	→	→	99.5%
	Male sterilisation	→	→	→	→	→	→	→	99.8%
		→	→	→	→	→	→	→	



**For information on the use of this product call:**

**0800 OneCall from 8am to 5pm**

**Or visit us at: [www.misoclear.com](http://www.misoclear.com)**